



**OREGON RULE CO.**  
SINCE 1981

# FULL-LINE CATALOG



**We Measure Up, Down, Sideways and in Circles!**



Oregon Rule Co  
1610 S Red Soils Ct Ste #C  
Oregon City, Oregon 97045

Copyright © 2019 by Oregon Rule Co.

This catalog is designed to help Oregon Rule Co. customers discover measuring tools that are intended to increase accuracy, expand tool sets, and most importantly - save time.

Listed descriptions are meant to be straight-forward, and should provide all necessary information to ensure the correct product or tool is being purchased.

This publication mostly translates with our website, where you may place orders or gain access to more photos of our products. Products listed in previous catalogs may have become unavailable or obsolete, depending on the availability of materials and/or consumer demand. Additionally, items in this catalog may be added or removed at any time at Oregon Rule's discretion.

All rights reserved, including the right to reproduce this catalog or portions thereof in any form whatsoever.

Manufactured in the United States of America.



For information on the most up-to-date product availability, please visit our website at [www.oregonrule.com](http://www.oregonrule.com).

Quote requests may be sent to [sales@oregonrule.com](mailto:sales@oregonrule.com)


Custom Options (Call 503.657.8330 for quote):

i.e. Background Colors, Graphics Colors, Private Labeling, and Special Lengths.




# Table of Contents

Adhesive Polyester Rules




1-17

Adhesive Metal Rules




18-20

Floor Tapes




21

Height and Security Rules




22-24

Adhesive Dials



25-26

Roll Tapes




27-28

Workbench Rules




29

Staff Gauges



30-34

Calipers




35-36

Protractors



37

Date Finders




38

Infant Tapes



39

Stainless Steel Rulers



40

Fishing



41-42

Index



43-45

# Adhesive Polyester Rules

Printed on 4 mil thick polyester for dimensional accuracy and durability, the adhesive polyester rules are usually made in 3ft(1m) segments for easy application. Rulers have a standard 1 mil polyester top coat finish over the graphics to protect them from chemicals and abrasive conditions.

Heavier top coats are available for more severe applications. Unless stated otherwise, all rulers are water proof - for indoor and outdoor use.

## Fractional Extra Narrow (FXN)



### Description:

- 1/4" wide
- 1/16" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
FXN-S012L-TC	Silver	012" (1')
FXN-S018L-TC	Silver	018" (1.5')
FXN-S024L-TC	Silver	024" (2')
FXN-S036L-TC	Silver	036" (3')
FXN-S072L-TC	Silver	072" (6')
FXN-S108L-TC	Silver	108" (9')
FXN-S144L-TC	Silver	144" (12')

Right to Left		
Part #	Color	Length
FXN-S012R-TC	Silver	012" (1')
FXN-S018R-TC	Silver	018" (1.5')
FXN-S024R-TC	Silver	024" (2')
FXN-S036R-TC	Silver	036" (3')
FXN-S072R-TC	Silver	072" (6')
FXN-S108R-TC	Silver	108" (9')
FXN-S144R-TC	Silver	144" (12')

## 3/8" Width Fractional Narrow (3/8FN)



### Description:

- 3/8" wide
- 1/16" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
3/8FN-S012L-TC	Silver	012" (1')
3/8FN-S018L-TC	Silver	018" (1.5')
3/8FN-S024L-TC	Silver	024" (2')
3/8FN-S036L-TC	Silver	036" (3')
3/8FN-S072L-TC	Silver	072" (6')
3/8FN-S108L-TC	Silver	108" (9')
3/8FN-S144L-TC	Silver	144" (12')

Right to Left		
Part #	Color	Length
3/8FN-S012R-TC	Silver	012" (1')
3/8FN-S018R-TC	Silver	018" (1.5')
3/8FN-S024R-TC	Silver	024" (2')
3/8FN-S036R-TC	Silver	036" (3')
3/8FN-S072R-TC	Silver	072" (6')
3/8FN-S108R-TC	Silver	108" (9')
3/8FN-S144R-TC	Silver	144" (12')

## 1/8" Grads Fractional Narrow (1/8FN)



### Description:

- 1/2" wide
- 1/8" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
1/8FN-S012L-TC	Silver	012" (1')
1/8FN-S018L-TC	Silver	018" (1.5')
1/8FN-S024L-TC	Silver	024" (2')
1/8FN-S036L-TC	Silver	036" (3')
1/8FN-S072L-TC	Silver	072" (6')
1/8FN-S108L-TC	Silver	108" (9')
1/8FN-S144L-TC	Silver	144" (12')

Right to Left		
Part #	Color	Length
1/8FN-S012R-TC	Silver	012" (1')
1/8FN-S018R-TC	Silver	018" (1.5')
1/8FN-S024R-TC	Silver	024" (2')
1/8FN-S036R-TC	Silver	036" (3')
1/8FN-S072R-TC	Silver	072" (6')
1/8FN-S108R-TC	Silver	108" (9')
1/8FN-S144R-TC	Silver	144" (12')


\*More lengths available. For quotes, please email or call.





# Fractional Narrow (FN)

Adhesive Polyester Rules



**Description:**

- 1/2" wide
- 1/16" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- Also available in clear
- \*


Left to Right		
Part #	Color	Length
FN-S012L-TC	Silver	012" (1')
FN-S018L-TC	Silver	018" (1.5')
FN-S024L-TC	Silver	024" (2')
FN-S036L-TC	Silver	036" (3')
FN-S072L-TC	Silver	072" (6')
FN-S108L-TC	Silver	108" (9')
FN-S144L-TC	Silver	144" (12')
FN-S180L-TC	Silver	180" (15')
FN-S216L-TC	Silver	216" (18')
FN-S252L-TC	Silver	252" (21')
FN-S288L-TC	Silver	288" (24')
FN-S324L-TC	Silver	324" (27')
FN-S360L-TC	Silver	360" (30')

Right to Left		
Part #	Color	Length
FN-S012R-TC	Silver	012" (1')
FN-S018R-TC	Silver	018" (1.5')
FN-S024R-TC	Silver	024" (2')
FN-S036R-TC	Silver	036" (3')
FN-S072R-TC	Silver	072" (6')
FN-S108R-TC	Silver	108" (9')
FN-S144R-TC	Silver	144" (12')
FN-S180R-TC	Silver	180" (15')
FN-S216R-TC	Silver	216" (18')
FN-S252R-TC	Silver	252" (21')
FN-S288R-TC	Silver	288" (24')
FN-S324R-TC	Silver	324" (27')
FN-S360R-TC	Silver	360" (30')

Vertical Up, zero at bottom		
Part #	Color	Length
FN-S012VU-TC	Silver	012" (1')
FN-S018VU-TC	Silver	018" (1.5')
FN-S024VU-TC	Silver	024" (2')
FN-S036VU-TC	Silver	036" (3')
FN-S072VU-TC	Silver	072" (6')
FN-S108VU-TC	Silver	108" (9')
FN-S144VU-TC	Silver	144" (12')
FN-S180VU-TC	Silver	180" (15')
FN-S216VU-TC	Silver	216" (18')
FN-S252VU-TC	Silver	252" (21')
FN-S288VU-TC	Silver	288" (24')
FN-S324VU-TC	Silver	324" (27')
FN-S360VU-TC	Silver	360" (30')

Vertical Down, zero at top		
Part #	Color	Length
FN-S012VD-TC	Silver	012" (1')
FN-S018VD-TC	Silver	018" (1.5')
FN-S024VD-TC	Silver	024" (2')
FN-S036VD-TC	Silver	036" (3')
FN-S072VD-TC	Silver	072" (6')
FN-S108VD-TC	Silver	108" (9')
FN-S144VD-TC	Silver	144" (12')
FN-S180VD-TC	Silver	180" (15')
FN-S216VD-TC	Silver	216" (18')
FN-S252VD-TC	Silver	252" (21')
FN-S288VD-TC	Silver	288" (24')
FN-S324VD-TC	Silver	324" (27')
FN-S360VD-TC	Silver	360" (30')

# Fractional Narrow Special (FNS)



**Description:**


- 1/2" wide
- 1/32" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
FNS-S012L-TC	Silver	012" (1')
FNS-S018L-TC	Silver	018" (1.5')
FNS-S024L-TC	Silver	024" (2')
FNS-S036L-TC	Silver	036" (3')
FNS-S072L-TC	Silver	072" (6')
FNS-S108L-TC	Silver	108" (9')
FNS-S144L-TC	Silver	144" (12')
FNS-S180L-TC	Silver	180" (15')
FNS-S216L-TC	Silver	216" (18')
FNS-S252L-TC	Silver	252" (21')
FNS-S288L-TC	Silver	288" (24')

Right to Left		
Part #	Color	Length
FNS-S012R-TC	Silver	012" (1')
FNS-S018R-TC	Silver	018" (1.5')
FNS-S024R-TC	Silver	024" (2')
FNS-S036R-TC	Silver	036" (3')
FNS-S072R-TC	Silver	072" (6')
FNS-S108R-TC	Silver	108" (9')
FNS-S144R-TC	Silver	144" (12')
FNS-S180R-TC	Silver	180" (15')
FNS-S216R-TC	Silver	216" (18')
FNS-S252R-TC	Silver	252" (21')
FNS-S288R-TC	Silver	288" (24')

\*More lengths available. For quotes, please email or call.

### 3/4" Fractional Regular (3/4FR)




**Description:**

- 3/4" wide
- 1/16" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
3/4FR-S012L-TC	Silver	012" (1')
3/4FR-S018L-TC	Silver	018" (1.5')
3/4FR-S024L-TC	Silver	024" (2')
3/4FR-S036L-TC	Silver	036" (3')
3/4FR-S072L-TC	Silver	072" (6')
3/4FR-S108L-TC	Silver	108" (9')
3/4FR-S144L-TC	Silver	144" (12')
3/4FR-S180L-TC	Silver	180" (15')
3/4FR-S216L-TC	Silver	216" (18')
3/4FR-S252L-TC	Silver	252" (21')
3/4FR-S288L-TC	Silver	288" (24')

Right to Left		
Part #	Color	Length
3/4FR-S012R-TC	Silver	012" (1')
3/4FR-S018R-TC	Silver	018" (1.5')
3/4FR-S024R-TC	Silver	024" (2')
3/4FR-S036R-TC	Silver	036" (3')
3/4FR-S072R-TC	Silver	072" (6')
3/4FR-S108R-TC	Silver	108" (9')
3/4FR-S144R-TC	Silver	144" (12')
3/4FR-S180R-TC	Silver	180" (15')
3/4FR-S216R-TC	Silver	216" (18')
3/4FR-S252R-TC	Silver	252" (21')
3/4FR-S288R-TC	Silver	288" (24')

### 1/8" Fractional Regular (1/8FR)



**Description:**

- 1" wide
- 1/8" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
1/8FR-S012L-TC	Silver	012" (1')
1/8FR-S018L-TC	Silver	018" (1.5')
1/8FR-S024L-TC	Silver	024" (2')
1/8FR-S036L-TC	Silver	036" (3')
1/8FR-S072L-TC	Silver	072" (6')
1/8FR-S108L-TC	Silver	108" (9')
1/8FR-S144L-TC	Silver	144" (12')
1/8FR-S180L-TC	Silver	180" (15')
1/8FR-S216L-TC	Silver	216" (18')
1/8FR-S252L-TC	Silver	252" (21')
1/8FR-S288L-TC	Silver	288" (24')
1/8FR-S324L-TC	Silver	324" (27')
1/8FR-S360L-TC	Silver	360" (30')

Right to Left		
Part #	Color	Length
1/8FR-S012R-TC	Silver	012" (1')
1/8FR-S018R-TC	Silver	018" (1.5')
1/8FR-S024R-TC	Silver	024" (2')
1/8FR-S036R-TC	Silver	036" (3')
1/8FR-S072R-TC	Silver	072" (6')
1/8FR-S108R-TC	Silver	108" (9')
1/8FR-S144R-TC	Silver	144" (12')
1/8FR-S180R-TC	Silver	180" (15')
1/8FR-S216R-TC	Silver	216" (18')
1/8FR-S252R-TC	Silver	252" (21')
1/8FR-S288R-TC	Silver	288" (24')
1/8FR-S324R-TC	Silver	324" (27')
1/8FR-S360R-TC	Silver	360" (30')


\*More lengths available. For quotes, please email or call.





## Fractional Regular (FR)

Adhesive  
Polyester  
Rules



**Description:**

- 1" wide
- 1/16" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- \*


Left to Right		
Part #	Color	Length
FR-S012L-TC	Silver	012" (1')
FR-S018L-TC	Silver	018" (1.5')
FR-S024L-TC	Silver	024" (2')
FR-S036L-TC	Silver	036" (3')
FR-S072L-TC	Silver	072" (6')
FR-S108L-TC	Silver	108" (9')
FR-S144L-TC	Silver	144" (12')
FR-S180L-TC	Silver	180" (15')
FR-S216L-TC	Silver	216" (18')
FR-S252L-TC	Silver	252" (21')
FR-S288L-TC	Silver	288" (24')
FR-S324L-TC	Silver	324" (27')
FR-S360L-TC	Silver	360" (30')

Right to Left		
Part #	Color	Length
FR-S012R-TC	Silver	012" (1')
FR-S018R-TC	Silver	018" (1.5')
FR-S024R-TC	Silver	024" (2')
FR-S036R-TC	Silver	036" (3')
FR-S072R-TC	Silver	072" (6')
FR-S108R-TC	Silver	108" (9')
FR-S144R-TC	Silver	144" (12')
FR-S180R-TC	Silver	180" (15')
FR-S216R-TC	Silver	216" (18')
FR-S252R-TC	Silver	252" (21')
FR-S288R-TC	Silver	288" (24')
FR-S324R-TC	Silver	324" (27')
FR-S360R-TC	Silver	360" (30')

Vertical Up, zero at bottom		
Part #	Color	Length
FR-S012VU-TC	Silver	012" (1')
FR-S018VU-TC	Silver	018" (1.5')
FR-S024VU-TC	Silver	024" (2')
FR-S036VU-TC	Silver	036" (3')
FR-S072VU-TC	Silver	072" (6')
FR-S108VU-TC	Silver	108" (9')
FR-S144VU-TC	Silver	144" (12')
FR-S180VU-TC	Silver	180" (15')
FR-S216VU-TC	Silver	216" (18')
FR-S252VU-TC	Silver	252" (21')
FR-S288VU-TC	Silver	288" (24')

Vertical Down, zero at top		
Part #	Color	Length
FR-S012VD-TC	Silver	012" (1')
FR-S018VD-TC	Silver	018" (1.5')
FR-S024VD-TC	Silver	024" (2')
FR-S036VD-TC	Silver	036" (3')
FR-S072VD-TC	Silver	072" (6')
FR-S108VD-TC	Silver	108" (9')
FR-S144VD-TC	Silver	144" (12')
FR-S180VD-TC	Silver	180" (15')
FR-S216VD-TC	Silver	216" (18')
FR-S252VD-TC	Silver	252" (21')
FR-S288VD-TC	Silver	288" (24')

## Fractional Regular Special (FRS)



**Description:**


- 1" wide
- 1/32" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
FRS-S012L-TC	Silver	012" (1')
FRS-S018L-TC	Silver	018" (1.5')
FRS-S024L-TC	Silver	024" (2')
FRS-S036L-TC	Silver	036" (3')
FRS-S072L-TC	Silver	072" (6')
FRS-S108L-TC	Silver	108" (9')
FRS-S144L-TC	Silver	144" (12')

Right to Left		
Part #	Color	Length
FRS-S012R-TC	Silver	012" (1')
FRS-S018R-TC	Silver	018" (1.5')
FRS-S024R-TC	Silver	024" (2')
FRS-S036R-TC	Silver	036" (3')
FRS-S072R-TC	Silver	072" (6')
FRS-S108R-TC	Silver	108" (9')
FRS-S144R-TC	Silver	144" (12')

\*More lengths available. For quotes, please email or call.

### 1/8" Easy Reader (1/8ER)



**Description:**

- 1.25" wide
- 1/8" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- Also available in clear and white
- \*


Left to Right		
Part #	Color	Length
1/8ER-S012L-TC	Silver	012" (1')
1/8ER-S018L-TC	Silver	018" (1.5')
1/8ER-S036L-TC	Silver	036" (3')
1/8ER-S072L-TC	Silver	072" (6')
1/8ER-S108L-TC	Silver	108" (9')
1/8ER-S144L-TC	Silver	144" (12')

Right to Left		
Part #	Color	Length
1/8ER-S012R-TC	Silver	012" (1')
1/8ER-S018R-TC	Silver	018" (1.5')
1/8ER-S036R-TC	Silver	036" (3')
1/8ER-S072R-TC	Silver	072" (6')
1/8ER-S108R-TC	Silver	108" (9')
1/8ER-S144R-TC	Silver	144" (12')

Vertical Up, zero at bottom		
Part #	Color	Length
1/8ER-S012VU-TC	Silver	012" (1')
1/8ER-S018VU-TC	Silver	018" (1.5')
1/8ER-S036VU-TC	Silver	036" (3')
1/8ER-S072VU-TC	Silver	072" (6')
1/8ER-S108VU-TC	Silver	108" (9')
1/8ER-S144VU-TC	Silver	144" (12')

Vertical Down, zero at top		
Part #	Color	Length
1/8ER-S012VD-TC	Silver	012" (1')
1/8ER-S018VD-TC	Silver	018" (1.5')
1/8ER-S036VD-TC	Silver	036" (3')
1/8ER-S072VD-TC	Silver	072" (6')
1/8ER-S108VD-TC	Silver	108" (9')
1/8ER-S144VD-TC	Silver	144" (12')

### Easy Reader (ER)



**Description:**

- 1.25" wide
- 1/16" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- Also available in clear
- \*

Left to Right		
Part #	Color	Length
ER-S012L-TC	Silver	012" (1')
ER-S018L-TC	Silver	018" (1.5')
ER-S036L-TC	Silver	036" (3')
ER-S072L-TC	Silver	072" (6')
ER-S108L-TC	Silver	108" (9')
ER-S144L-TC	Silver	144" (12')
ER-S180L-TC	Silver	180" (15')
ER-S216L-TC	Silver	216" (18')

Right to Left		
Part #	Color	Length
ER-S012R-TC	Silver	012" (1')
ER-S018R-TC	Silver	018" (1.5')
ER-S036R-TC	Silver	036" (3')
ER-S072R-TC	Silver	072" (6')
ER-S108R-TC	Silver	108" (9')
ER-S144R-TC	Silver	144" (12')
ER-S180R-TC	Silver	180" (15')
ER-S216R-TC	Silver	216" (18')

Vertical Up, zero at bottom		
Part #	Color	Length
ER-S012VU-TC	Silver	012" (1')
ER-S018VU-TC	Silver	018" (1.5')
ER-S036VU-TC	Silver	036" (3')
ER-S072VU-TC	Silver	072" (6')
ER-S108VU-TC	Silver	108" (9')
ER-S144VU-TC	Silver	144" (12')
ER-S180VU-TC	Silver	180" (15')
ER-S216VU-TC	Silver	216" (18')

Vertical Down, zero at top		
Part #	Color	Length
ER-S012VD-TC	Silver	012" (1')
ER-S018VD-TC	Silver	018" (1.5')
ER-S036VD-TC	Silver	036" (3')
ER-S072VD-TC	Silver	072" (6')
ER-S108VD-TC	Silver	108" (9')
ER-S144VD-TC	Silver	144" (12')
ER-S180VD-TC	Silver	180" (15')
ER-S216VD-TC	Silver	216" (18')

\*More lengths available. For quotes, please email or call.





## Inch & Fractional Narrow (IFFN)




**Description:**

- 1/2" wide
- 1/16" grads
- Continuous Inches
- 60" sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
IFFN-S012L-TC	Silver	012" (1')
IFFN-S018L-TC	Silver	018" (1.5')
IFFN-S024L-TC	Silver	024" (2')
IFFN-S060L-TC	Silver	060" (5')
IFFN-S120L-TC	Silver	120" (10')
IFFN-S180L-TC	Silver	180" (15')
IFFN-S240L-TC	Silver	240" (20')

Right to Left		
Part #	Color	Length
IFFN-S012R-TC	Silver	012" (1')
IFFN-S018R-TC	Silver	018" (1.5')
IFFN-S024R-TC	Silver	024" (2')
IFFN-S060R-TC	Silver	060" (5')
IFFN-S120R-TC	Silver	120" (10')
IFFN-S180R-TC	Silver	180" (15')
IFFN-S240R-TC	Silver	240" (20')

## 3/4" & Foot Fractional Regular (3/4IFFR)




**Description:**

- 3/4" wide
- 1/16" grads
- Continuous Inches
- 48" sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
3/4IFFR-S012L-TC	Silver	012" (1')
3/4IFFR-S018L-TC	Silver	018" (1.5')
3/4IFFR-S024L-TC	Silver	024" (2')
3/4IFFR-S048L-TC	Silver	048" (4')
3/4IFFR-S096L-TC	Silver	096" (8')
3/4IFFR-S144L-TC	Silver	144" (12')
3/4IFFR-S192L-TC	Silver	192" (16')
3/4IFFR-S240L-TC	Silver	240" (20')
3/4IFFR-S288L-TC	Silver	288" (24')

Right to Left		
Part #	Color	Length
3/4IFFR-S012R-TC	Silver	012" (1')
3/4IFFR-S018R-TC	Silver	018" (1.5')
3/4IFFR-S024R-TC	Silver	024" (2')
3/4IFFR-S048R-TC	Silver	048" (4')
3/4IFFR-S096R-TC	Silver	096" (8')
3/4IFFR-S144R-TC	Silver	144" (12')
3/4IFFR-S192R-TC	Silver	192" (16')
3/4IFFR-S240R-TC	Silver	240" (20')
3/4IFFR-S288R-TC	Silver	288" (24')

## Inch & Foot Fractional Regular (IFFR)



**Description:**

- 1.25" wide
- 1/16" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
IFR-S012L-TC	Silver	012" (1')
IFR-S018L-TC	Silver	018" (1.5')
IFR-S024L-TC	Silver	024" (2')
IFR-S036L-TC	Silver	036" (3')
IFR-S072L-TC	Silver	072" (6')
IFR-S108L-TC	Silver	108" (9')
IFR-S144L-TC	Silver	144" (12')
IFR-S180L-TC	Silver	180" (15')
IFR-S216L-TC	Silver	216" (18')
IFR-S252L-TC	Silver	252" (21')
IFR-S288L-TC	Silver	288" (24')

Right to Left		
Part #	Color	Length
IFR-S012R-TC	Silver	012" (1')
IFR-S018R-TC	Silver	018" (1.5')
IFR-S024R-TC	Silver	024" (2')
IFR-S036R-TC	Silver	036" (3')
IFR-S072R-TC	Silver	072" (6')
IFR-S108R-TC	Silver	108" (9')
IFR-S144R-TC	Silver	144" (12')
IFR-S180R-TC	Silver	180" (15')
IFR-S216R-TC	Silver	216" (18')
IFR-S252R-TC	Silver	252" (21')
IFR-S288R-TC	Silver	288" (24')

\*More lengths available. For quotes, please email or call.



Adhesive  
Polyester  
Rules

### Tenth Narrow (TN)



**Description:**

- 1/2" wide
- 1/10" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- Also available in silver
- \*


Left to Right		
Part #	Color	Length
TN-W012L-TC	White	012" (1')
TN-W018L-TC	White	018" (1.5')
TN-W036L-TC	White	036" (3')
TN-W072L-TC	White	072" (6')
TN-W108L-TC	White	108" (9')
TN-W144L-TC	White	144" (12')
TN-W180L-TC	White	180" (15')
TN-W216L-TC	White	216" (18')
TN-W252L-TC	White	252" (21')
TN-W288L-TC	White	288" (24')

Right to Left		
Part #	Color	Length
TN-W012R-TC	White	012" (1')
TN-W018R-TC	White	018" (1.5')
TN-W036R-TC	White	036" (3')
TN-W072R-TC	White	072" (6')
TN-W108R-TC	White	108" (9')
TN-W144R-TC	White	144" (12')
TN-W180R-TC	White	180" (15')
TN-W216R-TC	White	216" (18')
TN-W252R-TC	White	252" (21')
TN-W288R-TC	White	288" (24')

Vertical Up, zero at bottom		
Part #	Color	Length
TN-W012VU-TC	White	012" (1')
TN-W018VU-TC	White	018" (1.5')
TN-W036VU-TC	White	036" (3')
TN-W072VU-TC	White	072" (6')
TN-W108VU-TC	White	108" (9')
TN-W144VU-TC	White	144" (12')
TN-W180VU-TC	White	180" (15')
TN-W216VU-TC	White	216" (18')
TN-W252VU-TC	White	252" (21')
TN-W288VU-TC	White	288" (24')

Vertical Down, zero at top		
Part #	Color	Length
TN-W012VD-TC	White	012" (1')
TN-W018VD-TC	White	018" (1.5')
TN-W036VD-TC	White	036" (3')
TN-W072VD-TC	White	072" (6')
TN-W108VD-TC	White	108" (9')
TN-W144VD-TC	White	144" (12')
TN-W180VD-TC	White	180" (15')
TN-W216VD-TC	White	216" (18')
TN-W252VD-TC	White	252" (21')
TN-W288VD-TC	White	288" (24')

### Tenth Regular (TR)



**Description:**

- 1" wide
- 1/10" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- Also available in silver
- \*

Left to Right		
Part #	Color	Length
TR-W012L-TC	White	012" (1')
TR-W018L-TC	White	018" (1.5')
TR-W036L-TC	White	036" (3')
TR-W072L-TC	White	072" (6')
TR-W108L-TC	White	108" (9')
TR-W144L-TC	White	144" (12')
TR-W180L-TC	White	180" (15')
TR-W216L-TC	White	216" (18')

Right to Left		
Part #	Color	Length
TR-W012R-TC	White	012" (1')
TR-W018R-TC	White	018" (1.5')
TR-W036R-TC	White	036" (3')
TR-W072R-TC	White	072" (6')
TR-W108R-TC	White	108" (9')
TR-W144R-TC	White	144" (12')
TR-W180R-TC	White	180" (15')
TR-W216R-TC	White	216" (18')

Vertical Up, zero at bottom		
Part #	Color	Length
TR-W012VU-TC	White	012" (1')
TR-W018VU-TC	White	018" (1.5')
TR-W036VU-TC	White	036" (3')
TR-W072VU-TC	White	072" (6')
TR-W108VU-TC	White	108" (9')
TR-W144VU-TC	White	144" (12')
TR-W180VU-TC	White	180" (15')
TR-W216VU-TC	White	216" (18')

Vertical Down, zero at top		
Part #	Color	Length
TR-W012VD-TC	White	012" (1')
TR-W018VD-TC	White	018" (1.5')
TR-W036VD-TC	White	036" (3')
TR-W072VD-TC	White	072" (6')
TR-W108VD-TC	White	108" (9')
TR-W144VD-TC	White	144" (12')
TR-W180VD-TC	White	180" (15')
TR-W216VD-TC	White	216" (18')

\*More lengths available. For quotes, please email or call.





## Tenth Fractional Narrow (TFN)



**Description:**

- 0.5" wide
- 1/10" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- \*


Left to Right		
Part #	Color	Length
TFN-W012L-TC	White	012" (1')
TFN-W018L-TC	White	018" (1.5')
TFN-W024L-TC	White	024" (2')
TFN-W036L-TC	White	036" (3')
TFN-W072L-TC	White	072" (6')
TFN-W108L-TC	White	108" (9')
TFN-W144L-TC	White	144" (12')

Right to Left		
Part #	Color	Length
TFN-W012R-TC	White	012" (1')
TFN-W018R-TC	White	018" (1.5')
TFN-W024R-TC	White	024" (2')
TFN-W036R-TC	White	036" (3')
TFN-W072R-TC	White	072" (6')
TFN-W108R-TC	White	108" (9')
TFN-W144R-TC	White	144" (12')

Vertical Up, zero at bottom		
Part #	Color	Length
TFN-W012VU-TC	White	012" (1')
TFN-W018VU-TC	White	018" (1.5')
TFN-W024VU-TC	White	024" (2')
TFN-W036VU-TC	White	036" (3')
TFN-W072VU-TC	White	072" (6')
TFN-W108VU-TC	White	108" (9')
TFN-W144VU-TC	White	144" (12')

Vertical Down, zero at top		
Part #	Color	Length
TFN-W012VD-TC	White	012" (1')
TFN-W018VD-TC	White	018" (1.5')
TFN-W024VD-TC	White	024" (2')
TFN-W036VD-TC	White	036" (3')
TFN-W072VD-TC	White	072" (6')
TFN-W108VD-TC	White	108" (9')
TFN-W144VD-TC	White	144" (12')

## Tenth Fractional Regular (TFR)



**Description:**

- 1" wide
- 1/10" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
TFR-W012L-TC	White	012" (1')
TFR-W018L-TC	White	018" (1.5')
TFR-W024L-TC	White	024" (2')
TFR-W036L-TC	White	036" (3')
TFR-W072L-TC	White	072" (6')
TFR-W108L-TC	White	108" (9')
TFR-W144L-TC	White	144" (12')

Right to Left		
Part #	Color	Length
TFR-W012R-TC	White	012" (1')
TFR-W018R-TC	White	018" (1.5')
TFR-W024R-TC	White	024" (2')
TFR-W036R-TC	White	036" (3')
TFR-W072R-TC	White	072" (6')
TFR-W108R-TC	White	108" (9')
TFR-W144R-TC	White	144" (12')


Vertical Up, zero at bottom		
Part #	Color	Length
TFR-W012VU-TC	White	012" (1')
TFR-W018VU-TC	White	018" (1.5')
TFR-W024VU-TC	White	024" (2')
TFR-W036VU-TC	White	036" (3')
TFR-W072VU-TC	White	072" (6')
TFR-W108VU-TC	White	108" (9')
TFR-W144VU-TC	White	144" (12')

Vertical Down, zero at top		
Part #	Color	Length
TFR-W012VD-TC	White	012" (1')
TFR-W018VD-TC	White	018" (1.5')
TFR-W024VD-TC	White	024" (2')
TFR-W036VD-TC	White	036" (3')
TFR-W072VD-TC	White	072" (6')
TFR-W108VD-TC	White	108" (9')
TFR-W144VD-TC	White	144" (12')



### Horizontal Fractional Extra Wide (FXW)

Adhesive  
Polyester  
Rules



**Description:**

- 3" wide
- 1/4th grads
- Continuous Inches
- 90" sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
FXW-Y090L-TC	Yellow	090" (7.5')
FXW-Y180L-TC	Yellow	180" (15')
FXW-Y270L-TC	Yellow	270" (22.5')
FXW-Y360L-TC	Yellow	360" (30')

Right to Left		
Part #	Color	Length
FXW-Y090R-TC	Yellow	090" (7.5')
FXW-Y180R-TC	Yellow	180" (15')
FXW-Y270R-TC	Yellow	270" (22.5')
FXW-Y360R-TC	Yellow	360" (30')

### Vertical Fractional Extra Wide (FXW)



**Description:**

- 3" wide
- 1/4th grads
- Continuous Inches
- 48" sections
- 1 mil top coat
- \*

Vertical Up		
Part #	Color	Length
FXW-Y048VU-TC	Yellow	048" (4')
FXW-Y096VU-TC	Yellow	096" (8')
FXW-Y144VU-TC	Yellow	144" (12')
FXW-Y192VU-TC	Yellow	192" (16')
FXW-Y240VU-TC	Yellow	240" (20')
FXW-Y288VU-TC	Yellow	288" (24')
FXW-Y336VU-TC	Yellow	336" (28')
FXW-Y384VU-TC	Yellow	384" (32')
FXW-Y432VU-TC	Yellow	432" (36')
FXW-Y480VU-TC	Yellow	480" (40')

Vertical Down		
Part #	Color	Length
FXW-Y048VD-TC	Yellow	048" (4')
FXW-Y096VD-TC	Yellow	096" (8')
FXW-Y144VD-TC	Yellow	144" (12')
FXW-Y192VD-TC	Yellow	192" (16')
FXW-Y240VD-TC	Yellow	240" (20')
FXW-Y288VD-TC	Yellow	288" (24')
FXW-Y336VD-TC	Yellow	336" (28')
FXW-Y384VD-TC	Yellow	384" (32')
FXW-Y432VD-TC	Yellow	432" (36')
FXW-Y480VD-TC	Yellow	480" (40')

\*More lengths available. For quotes, please email or call.



## Centimeter Extra Narrow (CXN)



**Description:**

- 0.25" wide
- 1mm grads
- Continuous Centimeters
- 1m sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
CXN-W0.25L-TC	White	0.25m
CXN-W0.50L-TC	White	0.5m
CXN-W001L-TC	White	1m
CXN-W002L-TC	White	2m
CXN-W003L-TC	White	3m
CXN-W004L-TC	White	4m
CXN-W005L-TC	White	5m

Right to Left		
Part #	Color	Length
CXN-W0.25R-TC	White	0.25m
CXN-W0.50R-TC	White	0.5m
CXN-W001R-TC	White	1m
CXN-W002R-TC	White	2m
CXN-W003R-TC	White	3m
CXN-W004R-TC	White	4m
CXN-W005R-TC	White	5m

## 3/8" Centimeter Narrow (3/8CN)




**Description:**

- 0.375" wide
- 1mm grads
- Continuous Centimeters
- 1m sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
3/8CN-W0.25L-TC	White	0.25m
3/8CN-W0.50L-TC	White	0.5m
3/8CN-W001L-TC	White	1m
3/8CN-W002L-TC	White	2m
3/8CN-W003L-TC	White	3m
3/8CN-W004L-TC	White	4m
3/8CN-W005L-TC	White	5m

Right to Left		
Part #	Color	Length
3/8CN-W0.25R-TC	White	0.25m
3/8CN-W0.50R-TC	White	0.5m
3/8CN-W001R-TC	White	1m
3/8CN-W002R-TC	White	2m
3/8CN-W003R-TC	White	3m
3/8CN-W004R-TC	White	4m
3/8CN-W005R-TC	White	5m

## Centimeter Narrow (CN)



**Description:**

- 0.5" wide
- 1mm grads
- Continuous Centimeters
- 1m sections
- 1mil top coat
- \*

Left to Right		
Part #	Color	Length
CN-W0.25L-TC	White	0.25m
CN-W0.50L-TC	White	0.5m
CN-W001L-TC	White	1m
CN-W002L-TC	White	2m
CN-W003L-TC	White	3m
CN-W004L-TC	White	4m
CN-W005L-TC	White	5m

Right to Left		
Part #	Color	Length
CN-W0.25R-TC	White	0.25m
CN-W0.50R-TC	White	0.5m
CN-W001R-TC	White	1m
CN-W002R-TC	White	2m
CN-W003R-TC	White	3m
CN-W004R-TC	White	4m
CN-W005R-TC	White	5m


Vertical Up, zero at bottom		
Part #	Color	Length
CN-W0.25VU-TC	White	0.25m
CN-W0.50VU-TC	White	0.5m
CN-W001VU-TC	White	1m
CN-W002VU-TC	White	2m
CN-W003VU-TC	White	3m
CN-W004VU-TC	White	4m
CN-W005VU-TC	White	5m

Vertical Down, zero at top		
Part #	Color	Length
CN-W0.25VD-TC	White	0.25m
CN-W0.50VD-TC	White	0.5m
CN-W001VD-TC	White	1m
CN-W002VD-TC	White	2m
CN-W003VD-TC	White	3m
CN-W004VD-TC	White	4m
CN-W005VD-TC	White	5m

\*More lengths available. For quotes, please email or call.



### 3/4" Centimeter Regular (3/4CR)




**Description:**

- 0.75" wide
- 1mm grads
- Continuous Centimeters
- 1m sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
3/4CR-W0.25L-TC	White	0.25m
3/4CR-W0.50L-TC	White	0.5m
3/4CR-W001L-TC	White	1m
3/4CR-W002L-TC	White	2m
3/4CR-W003L-TC	White	3m
3/4CR-W004L-TC	White	4m
3/4CR-W005L-TC	White	5m

Right to Left		
Part #	Color	Length
3/4CR-W0.25R-TC	White	0.25m
3/4CR-W0.50R-TC	White	0.5m
3/4CR-W001R-TC	White	1m
3/4CR-W002R-TC	White	2m
3/4CR-W003R-TC	White	3m
3/4CR-W004R-TC	White	4m
3/4CR-W005R-TC	White	5m

### Centimeter Regular (CR)



**Description:**

- 1" wide
- 1mm grads
- Continuous Centimeters
- 1m sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
CR-W0.25L-TC	White	0.25m
CR-W0.50L-TC	White	0.5m
CR-W001L-TC	White	1m
CR-W002L-TC	White	2m
CR-W003L-TC	White	3m
CR-W004L-TC	White	4m
CR-W005L-TC	White	5m

Right to Left		
Part #	Color	Length
CR-W0.25R-TC	White	0.25m
CR-W0.50R-TC	White	0.5m
CR-W001R-TC	White	1m
CR-W002R-TC	White	2m
CR-W003R-TC	White	3m
CR-W004R-TC	White	4m
CR-W005R-TC	White	5m

Vertical Up, zero at bottom		
Part #	Color	Length
CR-W0.25VU-TC	White	0.25m
CR-W0.50VU-TC	White	0.5m
CR-W001VU-TC	White	1m
CR-W002VU-TC	White	2m
CR-W003VU-TC	White	3m
CR-W004VU-TC	White	4m
CR-W005VU-TC	White	5m

Vertical Down, zero at top		
Part #	Color	Length
CR-W0.25VD-TC	White	0.25m
CR-W0.50VD-TC	White	0.5m
CR-W001VD-TC	White	1m
CR-W002VD-TC	White	2m
CR-W003VD-TC	White	3m
CR-W004VD-TC	White	4m
CR-W005VD-TC	White	5m

### Millimeter Narrow (MMN)



**Description:**

- 0.5" wide
- 1mm grads
- Continuous Centimeters
- 1m sections
- 1 mil top coat
- \*


Left to Right		
Part #	Color	Length
MMN-W0.25L-TC	White	0.25m
MMN-W0.50L-TC	White	0.5m
MMN-W001L-TC	White	1m
MMN-W002L-TC	White	2m
MMN-W003L-TC	White	3m
MMN-W004L-TC	White	4m
MMN-W005L-TC	White	5m

Right to Left		
Part #	Color	Length
MMN-W0.25R-TC	White	0.25m
MMN-W0.50R-TC	White	0.5m
MMN-W001R-TC	White	1m
MMN-W002R-TC	White	2m
MMN-W003R-TC	White	3m
MMN-W004R-TC	White	4m
MMN-W005R-TC	White	5m

\*More lengths available. For quotes, please email or call.



### Millimeter Regular (MMR)



Adhesive  
Polyester  
Rules

**Description:**

- 1" wide
- 1mm grads
- Continuous Centimeters
- 1m sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
MMR-W0.25L-TC	White	0.25m
MMR-W0.50L-TC	White	0.5m
MMR-W001L-TC	White	1m
MMR-W002L-TC	White	2m
MMR-W003L-TC	White	3m
MMR-W004L-TC	White	4m
MMR-W005L-TC	White	5m

Right to Left		
Part #	Color	Length
MMR-W0.25R-TC	White	0.25m
MMR-W0.50R-TC	White	0.5m
MMR-W001R-TC	White	1m
MMR-W002R-TC	White	2m
MMR-W003R-TC	White	3m
MMR-W004R-TC	White	4m
MMR-W005R-TC	White	5m

### Centimeter Extra Wide (2CXW)



**Description:**

- 2" wide
- 1mm grads
- Continuous Centimeters
- 1m sections
- 1 mil top coat

Left to Right		
Part #	Color	Length
2CXW-W0.50L-TC	White	0.5m
2CXW-W001L-TC	White	1m
2CXW-W002L-TC	White	2m
2CXW-W003L-TC	White	3m
2CXW-W004L-TC	White	4m
2CXW-W005L-TC	White	5m
2CXW-W006L-TC	White	6m
2CXW-W007L-TC	White	7m
2CXW-W008L-TC	White	8m
2CXW-W009L-TC	White	9m
2CXW-W010L-TC	White	10m

Right to Left		
Part #	Color	Length
2CXW-W0.50R-TC	White	0.5m
2CXW-W001R-TC	White	1m
2CXW-W002R-TC	White	2m
2CXW-W003R-TC	White	3m
2CXW-W004R-TC	White	4m
2CXW-W005R-TC	White	5m
2CXW-W006R-TC	White	6m
2CXW-W007R-TC	White	7m
2CXW-W008R-TC	White	8m
2CXW-W009L-TC	White	9m
2CXW-W010L-TC	White	10m

Vertical Up, zero at bottom		
Part #	Color	Length
2CXW-W0.50VU-TC	White	0.5m
2CXW-W001VU-TC	White	1m
2CXW-W002VU-TC	White	2m
2CXW-W003VU-TC	White	3m
2CXW-W004VU-TC	White	4m
2CXW-W005VU-TC	White	5m
2CXW-W006VU-TC	White	6m
2CXW-W007VU-TC	White	7m
2CXW-W008VU-TC	White	8m
2CXW-W009VU-TC	White	9m
2CXW-W010VU-TC	White	10m

\*More lengths available. For quotes, please email or call.

### Fractional/Metric Narrow (FMN)




**Description:**

- 0.5" wide
- 1/16" & 1mm  
grads
- Continuous  
Inches and  
Centimeters
- 50" sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
FMN-S012L-TC	Silver	012" (30.48cm)
FMN-S018L-TC	Silver	018" (45.72cm)
FMN-S025L-TC	Silver	025" (63.5cm)
FMN-S050L-TC	Silver	050" (127cm)
FMN-S100L-TC	Silver	100" (254cm)
FMN-S150L-TC	Silver	150" (381cm)
FMN-S200L-TC	Silver	200" (508cm)
FMN-S250L-TC	Silver	250" (635cm)

Right to Left		
Part #	Color	Length
FMN-S012R-TC	Silver	012" (30.48cm)
FMN-S018R-TC	Silver	018" (45.72cm)
FMN-S025R-TC	Silver	025" (63.5cm)
FMN-S050R-TC	Silver	050" (127cm)
FMN-S100R-TC	Silver	100" (254cm)
FMN-S150R-TC	Silver	150" (381cm)
FMN-S200L-TC	Silver	200" (508cm)
FMN-S250L-TC	Silver	250" (635cm)

### 3/4" Fractional/Metric Regular (3/4FMR)




**Description:**

- 0.75" wide
- 1/16" & 1mm  
grads
- Continuous  
Inches and  
Centimeters
- 50" sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
3/4FMR-S012L-TC	Silver	012" (30.48cm)
3/4FMR-S018L-TC	Silver	018" (45.72cm)
3/4FMR-S025L-TC	Silver	025" (63.5cm)
3/4FMR-S050L-TC	Silver	050" (127cm)
3/4FMR-S100L-TC	Silver	100" (254cm)
3/4FMR-S150L-TC	Silver	150" (381cm)
3/4FMR-S200L-TC	Silver	200" (508cm)
3/4FMR-S250L-TC	Silver	250" (635cm)

Right to Left		
Part #	Color	Length
3/4FMR-S012R-TC	Silver	012" (30.48cm)
3/4FMR-S018R-TC	Silver	018" (45.72cm)
3/4FMR-S025R-TC	Silver	025" (63.5cm)
3/4FMR-S050R-TC	Silver	050" (127cm)
3/4FMR-S100R-TC	Silver	100" (254cm)
3/4FMR-S150R-TC	Silver	150" (381cm)
3/4FMR-S200R-TC	Silver	200" (508cm)
3/4FMR-S250R-TC	Silver	250" (635cm)

### Fractional/Metric Regular (FMR)



**Description:**

- 1" wide
- 1/16" & 1mm  
grads
- Continuous  
Inches and  
Centimeters
- 50" sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
FMR-S012L-TC	Silver	012" (30.48cm)
FMR-S018L-TC	Silver	018" (45.72cm)
FMR-S025L-TC	Silver	025" (63.5cm)
FMR-S050L-TC	Silver	050" (127cm)
FMR-S100L-TC	Silver	100" (254cm)
FMR-S150L-TC	Silver	150" (381cm)
FMR-S200L-TC	Silver	200" (508cm)
FMR-S250L-TC	Silver	250" (635cm)


Right to Left		
Part #	Color	Length
FMR-S012R-TC	Silver	012" (30.48cm)
FMR-S018R-TC	Silver	018" (45.72cm)
FMR-S025R-TC	Silver	025" (63.5cm)
FMR-S050R-TC	Silver	050" (127cm)
FMR-S100R-TC	Silver	100" (254cm)
FMR-S150R-TC	Silver	150" (381cm)
FMR-S200R-TC	Silver	200" (508cm)
FMR-S250R-TC	Silver	250" (635cm)

\*More lengths available. For quotes, please email or call.





## 2" Fractional/Metric Regular (2FMR)




**Description:**

- 2" wide
- 1/16" & 1mm grads
- Continuous Inches and Centimeters
- 50" sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
2FMR-S025L-TC	Silver	025" (63.5cm)
2FMR-S050L-TC	Silver	050" (127cm)
2FMR-S100L-TC	Silver	100" (254cm)
2FMR-S150L-TC	Silver	150" (381cm)
2FMR-S200L-TC	Silver	200" (508cm)
2FMR-S250L-TC	Silver	250" (635cm)

Right to Left		
Part #	Color	Length
2FMR-S025R-TC	Silver	025" (63.5cm)
2FMR-S050R-TC	Silver	050" (127cm)
2FMR-S100R-TC	Silver	100" (254cm)
2FMR-S150R-TC	Silver	150" (381cm)
2FMR-S200R-TC	Silver	200" (508cm)
2FMR-S250R-TC	Silver	250" (635cm)

## Tenth/Metric Narrow (TMN)




**Description:**

- 0.5" wide
- 1/10" & 1mm grads
- Continuous Inches and Centimeters
- 50" sections
- 1 mil top coat
- \*

Left to Right		
Part #	Color	Length
TMN-W012L-TC	White	012" (30.48cm)
TMN-W018L-TC	White	018" (45.72cm)
TMN-W025L-TC	White	025" (63.5cm)
TMN-W050L-TC	White	050" (127cm)
TMN-W100L-TC	White	100" (254cm)
TMN-W150L-TC	White	150" (381cm)
TMN-W200L-TC	White	200" (508cm)

Right to Left		
Part #	Color	Length
TMN-W012R-TC	White	012" (30.48cm)
TMN-W018R-TC	White	018" (45.72cm)
TMN-W025R-TC	White	025" (63.5cm)
TMN-W050R-TC	White	050" (127cm)
TMN-W100R-TC	White	100" (254cm)
TMN-W150R-TC	White	150" (381cm)
TMN-W200R-TC	White	200" (508cm)

## Tenth/Metric Regular (TMR)



**Description:**

- 1" wide
- 1/10" & 1mm grads
- Continuous Inches and Centimeters
- 50" sections
- \*

Left to Right		
Part #	Color	Length
TMR-W012L-TC	White	012" (30.48cm)
TMR-W018L-TC	White	018" (45.72cm)
TMR-W025L-TC	White	025" (63.5cm)
TMR-W050L-TC	White	050" (127cm)
TMR-W100L-TC	White	100" (254cm)
TMR-W150L-TC	White	150" (381cm)
TMR-W200L-TC	White	200" (508cm)

Right to Left		
Part #	Color	Length
TMR-W012R-TC	White	012" (30.48cm)
TMR-W018R-TC	White	018" (45.72cm)
TMR-W025R-TC	White	025" (63.5cm)
TMR-W050R-TC	White	050" (127cm)
TMR-W100R-TC	White	100" (254cm)
TMR-W150R-TC	White	150" (381cm)
TMR-W200R-TC	White	200" (508cm)

\*More lengths available. For quotes, please email or call.

## Fractional Half-Scale Narrow (FHN)



**Description:**

- 0.5" wide
- 1/8" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- \*\*

Left to Right		
Part #	Color	Length*
FHN-S024L-TC	Silver	024" (12")
FHN-S036L-TC	Silver	036" (18")
FHN-S072L-TC	Silver	072" (036")
FHN-S144L-TC	Silver	144" (072")
FHN-S216L-TC	Silver	216" (108")
FHN-S288L-TC	Silver	288" (144")

Right to Left		
Part #	Color	Length*
FHN-S024R-TC	Silver	024" (12")
FHN-S036R-TC	Silver	036" (18")
FHN-S072R-TC	Silver	072" (036")
FHN-S144R-TC	Silver	144" (072")
FHN-S216L-TC	Silver	216" (108")
FHN-S288L-TC	Silver	288" (144")

## Fractional Half-Scale Regular (FHR)



**Description:**

- 1" wide
- 1/8" grads
- Continuous Inches
- 36" sections
- 1 mil top coat
- \*\*

Left to Right		
Part #	Color	Length*
FHR-S024L-TC	Silver	024" (12")
FHR-S036L-TC	Silver	036" (18")
FHR-S072L-TC	Silver	072" (036")
FHR-S144L-TC	Silver	144" (072")
FHR-S216L-TC	Silver	216" (108")
FHR-S288L-TC	Silver	288" (144")

Right to Left		
Part #	Color	Length*
FHR-S024R-TC	Silver	024" (12")
FHR-S036R-TC	Silver	036" (18")
FHR-S072R-TC	Silver	072" (036")
FHR-S144R-TC	Silver	144" (072")
FHR-S216R-TC	Silver	216" (108")
FHR-S288R-TC	Silver	288" (144")

## Fractional/Metric Half-Scale Narrow (FMHN)



**Description:**

- 0.5" wide
- 1/16" and 2mm grads
- Continuous Inches and Centimeters
- 50" sections
- 1 mil top coat
- \*\*

Left to Right		
Part #	Color	Length*
FMHN-W050L-TC	White	050"/127cm (025"/63.5cm)
FMHN-W100L-TC	White	100"/254cm (050"/127cm)
FMHN-W150L-TC	White	150"/381cm (075"/190.5cm)
FMHN-W200L-TC	White	200"/508cm (100"/254cm)

Right to Left		
Part #	Color	Length*
FMHN-W050L-TC	White	050"/127cm (025"/63.5cm)
FMHN-W100L-TC	White	100"/254cm (050"/127cm)
FMHN-W150L-TC	White	150"/381cm (075"/190.5cm)
FMHN-W200L-TC	White	200"/508cm (100"/254cm)


\*Length: Reading Size (Actual Size)

\*\*More lengths available. For quotes, please email or call.



Adhesive  
Polyester  
Rules

### Fractional/Metric Half-Scale Regular (FMHR)




**Description:**

- 1" wide
- 1/8" and 2mm grads
- Continuous Inches and Centimeters
- 50" sections
- 1 mil top coat
- \*\*

Left to Right		
Part #	Color	Length*
FMHR-S050L-TC	White	050"/127cm (025"/63.5cm)
FMHR-S100L-TC	White	100"/254cm (050"/127cm)
FMHR-S150L-TC	White	150"/381cm (075"/190.5cm)
FMHR-S200L-TC	White	200"/508cm (100"/254cm)

Right to Left		
Part #	Color	Length*
FMHR-S050R-TC	White	050"/127cm (025"/63.5cm)
FMHR-S100R-TC	White	100"/254cm (050"/127cm)
FMHR-S150R-TC	White	150"/381cm (075"/190.5cm)
FMHR-S200R-TC	White	200"/508cm (100"/254cm)

### Centimeter Half-Scale Narrow (CHN)



**Description:**

- 0.5" wide
- 1mm grads
- Continuous Centimeters
- 1m sections
- 1 mil top coat
- \*\*

Left to Right		
Part #	Color	Length*
CHN-W001L-TC	White	1 m (0.5 m)
CHN-W002L-TC	White	2 m (1 m)
CHN-W003L-TC	White	3 m (1.5 m)
CHN-W004L-TC	White	4 m (2 m)
CHN-W005L-TC	White	5 m (2.5 m)

Right to Left		
Part #	Color	Length*
CHN-W001R-TC	White	1 m (0.5 m)
CHN-W002R-TC	White	2 m (1 m)
CHN-W003R-TC	White	3 m (1.5 m)
CHN-W004R-TC	White	4 m (2 m)
CHN-W005R-TC	White	5 m (2.5 m)

\*Length: Reading Size (Actual Size)

\*\*More lengths available. For quotes, please email or call.



**Centimeter Half-Scale Regular (CHR)****Description:**

- 1" wide
- 1mm grads
- Continuous Centimeters
- 1m sections
- 1 mil top coat
- \*\*

**Left to Right**

Part #	Color	Length*
CHR-W001L-TC	White	1 m (0.5 m)
CHR-W002L-TC	White	2 m (1 m)
CHR-W003L-TC	White	3 m (1.5 m)
CHR-W004L-TC	White	4 m (2 m)
CHR-W005L-TC	White	5 m (2.5 m)

**Right to Left**

Part #	Color	Length*
CHR-W001R-TC	White	1 m (0.5 m)
CHR-W002R-TC	White	2 m (1 m)
CHR-W003R-TC	White	3 m (1.5 m)
CHR-W004R-TC	White	4 m (2 m)
CHR-W005R-TC	White	5 m (2.5 m)

\*Length: Reading Size (Actual Size)

\*\*More lengths available. For quotes, please email or call.



The adhesive-backed metal rules are flat .006 thick tempered steel and are made in continuous lengths. They feature 1-piece construction, meaning they do not require assembly of multiple parts. Tempered steel is able to withstand various inside and outside weather conditions while continuing to read accurate measurements.

Adhesive Metal Rules

## 1/4" Fractional Yellow Adhesive Metal Ruler (1/4FY)



**Description:**

- 0.25" wide
- 1/16" grads
- Continuous Inches
- 1 piece construction

Left to Right		
Part #	Color	Length
1/4FY120L	Yellow	120"

## 3/8" Fractional Yellow Adhesive Metal Ruler (3/8FY)




**Description:**

- 0.375" wide
- 1/16" grads
- Continuous Inches
- 1 piece construction

Left to Right		
Part #	Color	Length
3/8FY300L-1/16	Yellow	300"
3/8FY600L-1/16	Yellow	600"

Right to Left		
Part #	Color	Length
3/8FY300R-1/16	Yellow	300"
3/8FY600R-1/16	Yellow	600"


## 3/4" Fractional Yellow Adhesive Metal Ruler (3/4FY)



**Description:**


- 0.75" wide
- 1/16" grads
- Continuous and Repeating Inches
- 1 piece construction

Left to Right		
Part #	Color	Length
3/4FY300L	Yellow	300"



Dual Directional		
Part #	Color	Length
3/4FY192D	Yellow	192"
3/4FY300D	Yellow	300"

### 1/2" Fractional White Adhesive Metal Ruler (1/2FW)



Adhesive Metal Rules

**Description:**

- 0.5" wide
- 1/16" grads
- Continuous and Repeating Inches
- 1 piece construction

Left to Right		
Part #	Color	Length
1/2FW048L	White	048"
1/2FW072L	White	072"
1/2FW144L	White	144"

Right to Left		
Part #	Color	Length
1/2FW048R	White	048"
1/2FW072R	White	072"
1/2FW144R	White	144"

### 1/4" Metric Yellow Adhesive Metal Ruler (1/4MY)



**Description:**

- 0.25" wide
- 1mm grads
- Continuous Centimeters
- 1 piece construction

Left to Right		
Part #	Color	Length
1/4MY120L	Yellow	3m

### 3/8" Metric Yellow Adhesive Metal Ruler (3/8MY)



**Description:**

- 0.375" wide
- 1mm grads
- Repeating Centimeters and Continuous Meters
- 1 piece construction

Left to Right		
Part #	Color	Length
3/8MY8.0L	Yellow	8m
3/8MY15.0L	Yellow	15m

### 1/2" Centimeter Metric Yellow Adhesive Metal Ruler (1/2CMY)



**Description:**

- 0.5" wide
- 1mm grads
- Continuous Centimeters
- 1 piece construction

Left to Right		
Part #	Color	Length
1/2CMY3.0L	Yellow	3m

Right to Left		
Part #	Color	Length
1/2CMY3.0R	Yellow	3m





## 1/2" Metric Yellow Adhesive Metal Ruler (1/2MY)



**Description:**

- 0.5" wide
- 1mm grads
- Continuous Millimeters
- 1 piece construction

Left to Right		
Part #	Color	Length
1/2MY2.0L	Yellow	2m

Adhesive Metal Rules

## 3/4" Metric Yellow Adhesive Metal Ruler (3/4MY)

Picture Coming Soon

**Description:**

- 0.75" wide
- 1mm grads
- Continuous and Repeating Inches
- 1 piece construction

Left to Right		
Part #	Color	Length
3/4MY8.0L	Yellow	8m

## 1/2" Fractional/Metric White Adhesive Metal Ruler (1/2FMW)



**Description:**

- 0.5" wide
- 1mm grads
- Continuous Millimeters
- 1 piece construction

Left to Right		
Part #	Color	Length
1/2FMW1.2L	White	1.2m (4')
1/2FMW2.0L	White	2m (6')
1/2FMW3.0L	White	3m (10')
1/2FMW3.6L	White	3.6m (12')

Right to Left		
Part #	Color	Length
1/2FMW1.2R	White	1.2m (4')
1/2FMW2.0R	White	2m (6')
1/2FMW3.0R	White	3m (10')
1/2FMW3.6R	White	3.6m (12')


# Floor Tapes

Floor Tapes are an industrial grade, adhesive backed ruler manufactured by Oregon Rule Co. These rulers are extra wide, employ large graphics for long distance clarity, and are easy reading. Floor Tapes are top coated with a 7 mil textured, slip-resistant top coat for protection and made of durable polyester. They are designed for industrial situations where the rulers may be constantly walked upon or run over with forklifts. Floor Tapes lie flat, are simple to mount, and can be easily cut to size. These floor tapes read continuously vertical up and are shipped in sections. Do not let the name "Floor Tape" dissuade you from applications like putting these vertically on a wall or tank, or elevated onto a cutting table or shelf. Floor Tapes are great for indoor and outdoor use, wherever you have room to stick them.

Floor Tapes

## 2" Wide Fractional Floor Tape

2FFT



**Description:**

- 2" wide
- 1" grads
- Continuous Feet

Vertical Up, zero at bottom		
Part #	Color	Length
2FFT-Y006VU-7LTC	Yellow	6.25ft
2FFT-Y012VU-7LTC	Yellow	12.5ft
2FFT-Y025VU-7LTC	Yellow	25ft
2FFT-Y050VU-7LTC	Yellow	50ft
2FFT-Y075VU-7LTC	Yellow	75ft
2FFT-Y100VU-7LTC	Yellow	100ft

## 4" Wide Fractional Floor Tape

4FFT



Not actual width

Pictures shown are scaled down to display graduations

**Description:**

- 4" wide
- 1" grads
- Continuous Feet

Vertical Up, zero at bottom		
Part #	Color	Length
4FFT-Y006VU-7LTC	Yellow	6.25ft
4FFT-Y012VU-7LTC	Yellow	12.5ft
4FFT-Y025VU-7LTC	Yellow	25ft
4FFT-Y050VU-7LTC	Yellow	50ft
4FFT-Y075VU-7LTC	Yellow	75ft
4FFT-Y100VU-7LTC	Yellow	100ft




Oregon Rule Co. Security Height Rules are bold, and have clear scales for quickly referencing height. The Security Height Rules' length captures the most common range of adult heights; and the adhesive backed rules come on a peel-away liner. To set up, sync the lowest graduation with the corresponding distance from the floor.

Security Height Rules are commonly seen in banks, police stations, restaurants, schools, and doctor's offices. Often these types of rules can be seen around the door-frames of businesses you exit. With its high-tack adhesive, these rules can be applied to nearly any clean surface.

## Security Height Rules (SHR)

Height & Security Rules



Not actual width  
Pictures shown are scaled down to display graduations



Vertical Up zero at bottom	
Part #	SHR/FM-W1.5x80VU-TC
Color	White
Reads	6'8" (left), 203cm (right)
Length	81"
Width	1.5"
Grads	1/8", 0.5cm



Vertical Up 3'9" at bottom	
Part #	SHR/F-BKWH1.5X43/84VU-TC
Color	Black & White
Reads	3'9"-7'
Length	39"
Width	1.5"
Grads	0.25"

Vertical Up 3'9" at bottom	
Part #	SHR/F-RDBL1.5X43/84VU-TC
Color	Red, Blue & White
Reads	3'9"-7'
Length	39"
Width	1.5"
Grads	0.25"



SHR (Continued)

Kids Height Rule (KHR)



Height & Security Rules

Vertical Up - Dual Edge 3'8" at bottom	
Part #	SHR/F-W1.88x44/80VU-TC
Color	White
Reads	3'8"-6'8"
Length	37"
Width	1.875"
Grads	0.5"

Description:

- High-tack adhesive
- Bold black numbering and colorful graphics
- Space for family to mark ruler and keep track of children's growth


Vertical Up, zero at bottom				
Part #	Reads	Length	Width	Grads
KHR-MC4x80VU-GTC	0-80"	81"	4"	0.25"





Oregon Rule Co. Security Height Backdrops are bold scales for quickly referencing height. These banners are often purchased for police departments for use in criminal lineups and mug shots. Other companies, like those in the medical field, use these tools as an easy height reference guide in their offices and examination rooms. Restaurants and retailers have used these banners in their crime prevention efforts.

**Security Height Backdrop Wall Mount (SHBRWM)**



Height & Security Rules

**Description:**


- Wall Mount Banner
- White

Vertical Up, zero at bottom				
Part #	Graduations	Length	Width	Reads
SHBRWM/F-W23x36/84VU-BAN	0.5"	54"	24"	3'-7'
SHBRWM/M-W0.58x0.9/2.1VU-BAN	0.5m	127cm	58cm	90cm-210cm

Adhesive circles ready to mount on tools and other equipment.

0.25" diameter reference hole and graduations along outside edge. Graphics are black on white background with a 1 degree resolution. 3 mil thick matte topcoat for chemical and abrasion resistance.

## Graduated Dials (GD)



Adhesive  
Dials

### Description:

- 1/4" diameter reference hole
- Graduations on outside edge
- Black graphics on white background
- 1 degree resolution
- 3 mil matte top coat

Dual Directional 0-90		
Part #	Color	Diameter
3GD-W090DD-3TC	White	3"
4GD-W090DD-3TC	White	4"
5GD-W090DD-3TC	White	5"
6GD-W090DD-3TC	White	6"
7GD-W090DD-3TC	White	7"
8GD-W090DD-3TC	White	8"
9GD-W090DD-3TC	White	9"
10GD-W090DD-3TC	White	10"

Dual Directional 0-180		
Part #	Color	Diameter
3GD-W180DD-3TC	White	3"
4GD-W180DD-3TC	White	4"
5GD-W180DD-3TC	White	5"
6GD-W180DD-3TC	White	6"
7GD-W180DD-3TC	White	7"
8GD-W180DD-3TC	White	8"
9GD-W180DD-3TC	White	9"
10GD-W180DD-3TC	White	10"

Clockwise 0-360		
Part #	Color	Diameter
3GD-W360CW-3TC	White	3"
4GD-W360CW-3TC	White	4"
5GD-W360CW-3TC	White	5"
6GD-W360CW-3TC	White	6"
7GD-W360CW-3TC	White	7"
8GD-W360CW-3TC	White	8"
9GD-W360CW-3TC	White	9"
10GD-W360CW-3TC	White	10"


Counter-Clockwise 0-360		
Part #	Color	Diameter
3GD-W360CCW-3TC	White	3"
4GD-W360CCW-3TC	White	4"
5GD-W360CCW-3TC	White	5"
6GD-W360CCW-3TC	White	6"
7GD-W360CCW-3TC	White	7"
8GD-W360CCW-3TC	White	8"
9GD-W360CCW-3TC	White	9"
10GD-W360CCW-3TC	White	10"



Adhesive rings ready to mount on tools and other equipment.  
 Inside diameters are 1" smaller than outside diameters, creating a 1/2" wide ring.

Graphics are black on white background with a 1 degree resolution and come with 3 mil thick matte topcoat for chemical and abrasion resistance.

## Ring Dials (GD)



Adhesive Dials

**Description:**

- Inside diameter is 1" smaller than the outside, 1/2" wide ring
- Graduations on inside edge
- Black graphics on white background
- 1 degree resolution
- 3 mil matte top coat

Dual Directional 0-90		
Part #	Color	Diameter (Inside x Outside)
3X2GD-W090DD-3TC	White	2" x 3"
4X3GD-W090DD-3TC	White	3" x 4"
5X4GD-W090DD-3TC	White	4" x 5"
6X5GD-W090DD-3TC	White	5" x 6"
7X6GD-W090DD-3TC	White	6" x 7"
8X7GD-W090DD-3TC	White	7" x 8"

Dual Directional 0-180		
Part #	Color	Diameter (Inside x Outside)
3X2GD-W180DD-3TC	White	2" x 3"
4X3GD-W180DD-3TC	White	3" x 4"
5X4GD-W180DD-3TC	White	4" x 5"
6X5GD-W180DD-3TC	White	5" x 6"
7X6GD-W180DD-3TC	White	6" x 7"
8X7GD-W180DD-3TC	White	7" x 8"

Clockwise 0-360		
Part #	Color	Diameter (Inside x Outside)
3X2GD-W360CW-3TC	White	2" x 3"
4X3GD-W360CW-3TC	White	3" x 4"
5X4GD-W360CW-3TC	White	4" x 5"
6X5GD-W360CW-3TC	White	5" x 6"
7X6GD-W360CW-3TC	White	6" x 7"
8X7GD-W360CW-3TC	White	7" x 8"


Counter Clockwise 0-360		
Part #	Color	Diameter (Inside x Outside)
3X2GD-W360CCW-3TC	White	2" x 3"
4X3GD-W360CCW-3TC	White	3" x 4"
5X4GD-W360CCW-3TC	White	4" x 5"
6X5GD-W360CCW-3TC	White	5" x 6"
7X6GD-W360CCW-3TC	White	6" x 7"
8X7GD-W360CCW-3TC	White	7" x 8"

# Continuous Roll Tapes

Oregon Rule Co. has yet another option for adhesive rules, these Continuous Roll Tapes. They are economical, convenient, and come on a self-wound roll, no liner required. Instead of individualized decals, these tapes are all one long piece that has ruler graduation graphics repeating either every foot, yard, or meter. Rip or cut these rules to your desired length, and stick them on nearly anything. The adhesive is of "Painters Mask" quality; safely apply it to surfaces without fear of residue or surface degradation. The material is paper that is coated to minimize liquid absorption and UV fading.


There are several advantages the Continuous Roll Tapes have over other similar products. At the Zero Line, which is the beginning of each repeat, the tape includes an open box so that you may write in a reference number. This is handy so that you can easily take a 12" repeating tape and mark it so that it is a tape that reads several feet, rip it off, and then start back at zero for the next section. Also, each of these Continuous Roll Tapes read with a dual edge so that they are both left-to-right and right-to-left reading rules.

## 1" x 12"



Left to Right & Right to Left		
Part #	Graduations	Repeats
FERT-W12Dx42R	1/16"	42

## 3/4" x 1m



Left to Right & Right to Left		
Part #	Graduations	Repeats
MERT-W1.0Dx32R	2mm	32

## 3/4" x 36"




Left to Right & Right to Left		
Part #	Graduations	Repeats
FERT-Y36Dx35R	1/8"	35





1.5" x 12"



Economical and convenient self-wound roll, no liner required. Instead of individualized sections, these 105 tapes are all on one long piece that has ruler graduation graphics repeating every foot. Rip or cut these rules to your desired length, and stick them on nearly anything.

The adhesive is "Painters Mask" quality; safely applies to surfaces without fear of residue or surface degradation. The material is paper that is coated to minimize liquid absorption and UV fading.

At the beginning of each repeat, or zero line, the tape includes an open box to write in a reference number. This is handy for referencing the ruler's start point. For example, writing "100ft" marks that the tape starts at 100ft from the zero line.

Additionally, these roll tapes read with a dual edge.

**Description:**

- 1 1/2" wide
- 12" long ruler repeats 105 times
- Vertical Up reading
- Black graphics on yellow background

Roll  
Tapes

Vertical Up, zero at bottom		
Part #	Graduations	Repeats
1 1/2FERT-YW012VUx105R	1/4"	105


# Workbench Rule

The adhesive backed Workbench Rulers were designed with original graphics from Oregon Rule Co. Each ruler comes individually packed. Excellent quality and easily read, these rulers stick practically anywhere for convenient, quick measurements.

Examples of application surfaces include, but are not limited to: work benches, lathe beds, drill presses, fishing boats, table saws, sewing tables, radial arm saws, butcher blocks, drafting tables, and tool boxes.

These rulers lie flat and can be cut to size using scissors.

## Workbench Ruler (WBR)



**Description:**

- 1" wide
- 1/16th grads
- Continuous and Repeating Inches
- 48" Sections
- Gloss top coat

**Left to Right**

Part #	Color	Length
WBR-Y048L	Yellow	048"
WBR-Y096L	Yellow	096"
WBR-Y144L	Yellow	144"

**Right to Left**


Part #	Color	Length
WBR-Y048R	Yellow	048"
WBR-Y096R	Yellow	096"
WBR-Y144R	Yellow	144"

Workbench Rules




These staff gauges are made to withstand the extremes of Mother Nature and Mankind. They are guaranteed to not chip, crack, or ever rust. They are fabricated with modern day materials that offer advanced performance at reduced cost. The base material is two sheets of 0.008 thick white polyester painted aluminum with a black thermoplastic bonded core. You can drill the mounting holes larger or even cut the gauge to a shorter length without any detrimental loss of quality. These gauges are machined flush at the bottoms and tops of pieces for accurate joining of multi-sectional gauges.

## 5TFSS



## 5TFXW



**Not actual width**  
 Pictures shown are scaled down to display graduations

Staff Gauges

**Description:**

- 5" wide
- 1/10th of foot grads, Suveyor Style
- 8 mounting holes (3/16" diameter)
- Black thermoplastic bonded core
- 5 mil clear polyester top coat

**Description:**

- 5" wide
- 1/10th of foot grads, Engineer Style
- 8 mounting holes (3/16" diameter)
- Black thermoplastic bonded core
- 5 mil clear polyester top coat

Yellow Vertical Up, zero at bottom	
Part #	Length
5TFSS-Y4.0VU-5GTC/3DB	048" (4')
5TFSS-Y8.0VU-5GTC/3DB	096" (8')
5TFSS-Y12.0VU-5GTC/3DB	144" (12')
5TFSS-Y16.0VU-5GTC/3DB	192" (16')
5TFSS-Y20.0VU-5GTC/3DB	240" (20')

Yellow Vertical Up, zero at bottom	
Part #	Length
5TFXW-Y4.0VU-5GTC/3DB	048" (4')
5TFXW-Y8.0VU-5GTC/3DB	096" (8')
5TFXW-Y12.0VU-5GTC/3DB	144" (12')
5TFXW-Y16.0VU-5GTC/3DB	192" (16')
5TFXW-Y20.0VU-5GTC/3DB	240" (20')



White Vertical Up, zero at bottom	
Part #	Length
5TFSS-W4.0VU-5GTC/3DB	048" (4')
5TFSS-W8.0VU-5GTC/3DB	096" (8')
5TFSS-W12.0VU-5GTC/3DB	144" (12')
5TFSS-W16.0VU-5GTC/3DB	192" (16')
5TFSS-W20.0VU-5GTC/3DB	240" (20')

White Vertical Up, zero at bottom	
Part #	Length
5TFXW-W4.0VU-5GTC/3DB	048" (4')
5TFXW-W8.0VU-5GTC/3DB	096" (8')
5TFXW-W12.0VU-5GTC/3DB	144" (12')
5TFXW-W16.0VU-5GTC/3DB	192" (16')
5TFXW-W20.0VU-5GTC/3DB	240" (20')



Graphics are printed via solvent ink, then top coated with 5 mils of clear polyester providing optimum chemical, abrasion and UV protection. Mounting holes (3/16) are provided at strategic points. You can drill the mounting holes larger or even cut out the gauge to a shorter length without any detrimental loss of quality.

Graphics are bolder, designed for clarity at greater distances and dimensional lines are flush bottom machined for accurate joining for multi-sectional gauges. Black graphics on white backgrounds provide optimum contrast.

**5IFXW****5HFSS**

**Not actual width**

Pictures shown are scaled down to display graduations

Staff  
Gauges

**Description:**

- 5" wide
- Inches & Feet grads, Engineer Style
- 8 mounting holes (3/16" diameter)
- Black thermoplastic bonded core
- 5 mil clear polyester top coat

Yellow Vertical Up, zero at bottom	
Part #	Length
5IFXW-Y4.0VU-5GTC/3DB	048" (4')
5IFXW-Y8.0VU-5GTC/3DB	096" (8')
5IFXW-Y12.0VU-5GTC/3DB	144" (12')
5IFXW-Y16.0VU-5GTC/3DB	192" (16')
5IFXW-Y20.0VU-5GTC/3DB	240" (20')

White Vertical Up, zero at bottom	
Part #	Length
5IFXW-W4.0VU-5GTC/3DB	048" (4')
5IFXW-W8.0VU-5GTC/3DB	096" (8')
5IFXW-W12.0VU-5GTC/3DB	144" (12')
5IFXW-W16.0VU-5GTC/3DB	192" (16')
5IFXW-W20.0VU-5GTC/3DB	240" (20')

**Description:**

- 5" wide
- Hundredths of Foot grads, Surveyor Style
- 8 mounting holes (3/16" diameter)
- Black thermoplastic bonded core
- 5 mil clear polyester top coat

Yellow Vertical Up, zero at bottom	
Part #	Length
5HFSS-Y4.0VU-5GTC/3DB	048" (4')
5HFSS-Y8.0VU-5GTC/3DB	096" (8')
5HFSS-Y12.0VU-5GTC/3DB	144" (12')
5HFSS-Y16.0VU-5GTC/3DB	192" (16')
5HFSS-Y20.0VU-5GTC/3DB	240" (20')

White Vertical Up, zero at bottom	
Part #	Length
5HFSS-W4.0VU-5GTC/3DB	048" (4')
5HFSS-W8.0VU-5GTC/3DB	096" (8')
5HFSS-W12.0VU-5GTC/3DB	144" (12')
5HFSS-W16.0VU-5GTC/3DB	192" (16')
5HFSS-W20.0VU-5GTC/3DB	240" (20')



**SSGST**

The Surveyor Tenth (SSGST) style graduated gauge has Foot, 1/10 ft & 1/100 ft. increments using 0.120 thick lines that are “stepped” for easy reading at the top or bottom edge.

**SSGET**




The Engineer Tenth (SSGET) style has lines every 1/100 th of a Foot with varied length of solid lines to help distinguish the different increments from one another.

**SSGSM**

The Surveyor Metric (SSGSM) style has numbers every 5 cm and is divided into 10 stepped 1/2 cm lines for reading at the top or bottom edge.

**SSGEM**

The Engineers Metric (SSGEM) style has lines every 1/2 cm with varied length solid lines to help distinguish the different increments from one another.



Staff Gauges

SSGST	
Part #	Length
SSGST-W3.0VU-5GTC/3DB	036" (3')
SSGST-W6.0VU-5GTC/3DB	072" (6')
SSGST-W9.0VU-5GTC/3DB	108" (9')
SSGST-W12.0VU-5GTC/3DB	144" (12')
SSGET	
Part #	Length
SSGET -W3.0VU-5GTC/3DB	036" (3')
SSGET-W6.0VU-5GTC/3DB	072" (6')
SSGET-W9.0VU-5GTC/3DB	108" (9')
SSGET-W12.0VU-5GTC/3DB	144" (12')


SSGSM	
Part #	Length
SSGSM-W3.0VU-5GTC/3DB	036" (3')
SSGSM-W6.0VU-5GTC/3DB	072" (6')
SSGSM-W9.0VU-5GTC/3DB	108" (9')
SSGSM-W12.0VU-5GTC/3DB	144" (12')
SSGEM	
Part #	Length
SSGEM-W3.0VU-5GTC/3DB	036" (3')
SSGEM-W6.0VU-5GTC/3DB	072" (6')
SSGEM-W9.0VU-5GTC/3DB	108" (9')
SSGEM-W12.0VU-5GTC/3DB	144" (12')





### Staff Gauge Hardware

Part #: HPK-SS1/4x1 1/2



**Description:**

- x1: 1/4" x 1 1/2" Stainless Steel Lag Bolt
- x1: 1/4" x 5/8" Stainless Steel Washer
- x1: 1/4" x 5/8" Nylon Washer
- x1: 1/4" x 1 1/2" Zinc Lag Anchor

### Custom Staff Gauge Graphics Form

Staff Gauges

Width (Inches): \_\_\_\_\_ Length (Feet): \_\_\_\_\_

Starting From: \_\_\_\_\_ Ending at: \_\_\_\_\_

Overall Length (Feet): \_\_\_\_\_

Material (Circle One):    Label Only    Di Bond    1/4" EPVC    1/2" EPVC

Other: \_\_\_\_\_

Color (Circle One):    White/Black Graphics    Yellow/Black Graphics

Other: \_\_\_\_\_

Pre-Drilled (Circle One):    Yes / No

Style (Circle One):    TFSS    IFXW    TFXW    HFSS

Other: \_\_\_\_\_

We thank you for your interest in Oregon Rule Staff Gauges. Oregon Rule Co. is committed in providing high quality products at an affordable price.

Can't find exactly what you are looking for?  
Please Feel Free to contact us, we can make custom staff gauges quickly and affordable.  
For your convenience you can use the next page to sketch your idea.  
Send us an email and we will get you a quote.



Staff  
Gauges



# Calipers

Pipe Calipers are a unique outside and inside diameter caliper created and manufactured by Oregon Rule Co. The Pipe Calipers are tools often useful to Engineers, Draftsmen, Pipe-fitters, Contractors, Carpenters, Plumbers, and related industries. This is a fractional measuring unit, which reads in inches. The unique tapered swing arm measures interior pipe diameters, and a handy ruler is provided on the other edge. A conversion chart printed on the caliper translates measurements of the outside diameter to the nominal interior diameter dimension. This item comes packaged in its own storage pouch.


## Pipe Caliper, White Vinyl

**Part #: MR1000-WV/5PK**

Mini pipe diameter caliper.  
Unique design with a 7" ruler on one edge.

Measures:  
Up to 6" diameter  
Up to 5" pipe-size diameter

- Conversion chart
- Made of .030" thick white vinyl and clear coated




## Pipe Caliper, Black Anodized

**Part #: PR1000-BA**

Pipe diameter caliper.  
Unique design with a 14" ruler on one edge.

Measures:  
Up to 16" diameter

- Conversion chart
- Incredibly durable black anodized aluminum



Calipers


## Pipe Caliper, White Styrene

**Part #: PR1000-WS/3PK**

Pipe diameter caliper.  
Unique design with a 14" ruler on one edge.

Measures:  
Up to 16" diameter

- Conversion chart
- Made of .040" thick white styrene






## Pipe Caliper, Clear Plastic

**Part #: PR100-CL**

Pipe diameter caliper.  
Unique design with a 14" ruler on one edge.

Measures:  
Up to 16" diameter

- Conversion chart
- Made of .040" thick clear plastic



X-Kalipers are economical and multipurpose linear calipers, with jaws that slide and measure along a T-Track rail system. Customize this product to your specific needs with variable reading and jaw lengths using the drop down menus below. X-Kalipers are made of anodized aluminum, nylon, and stainless steel; all parts are non-corrosive and waterproof.

NOTE: Each X-Kaliper will be 8" longer than the usable length listed

## X-Kaliper, Large Object Caliper

Jaw's Length - 14"/18cm	
Part #	Length
XLOC-07x24FM	16" (41cm)
XLOC-07x36FM	28" (71cm)
XLOC-07x48FM	40" (102cm)
XLOC-07x60FM	52" (132cm)
XLOC-07x72FM	64" (163cm)
XLOC-07x96FM	88" (224cm)

Jaw's Length - 07"/18cm	
Part #	Length
XLOC-14x24FM	16 (41cm)
XLOC-14x36FM	28" (71cm)
XLOC-14x48FM	40" (102cm)
XLOC-14x60FM	52" (132cm)
XLOC-14x72FM	64" (163cm)
XLOC-14x96FM	88" (224cm)

Calipers

The standard reading style for the ruler part is Fractional/Metric, with inches on top and centimeters on the bottom edge. These rulers have a white background with black print for optimum contrast. Other ruler styles are available, like Fractional or Metric, Tenths of Inches, Centering Rule, or different background colors. Please contact us at sales@oregonrule.com or call when placing a non-standard ruler option.



Dual Arm Equalizer Protractors are a line of industrial protractors created and manufactured by Oregon Rule Co. Dual Arm Equalizer Protractors are tools many industries have found are a much-needed necessity to accurately measure and set up angles, which saves time and money in the process.

Often used by: Engineers, Welders/Fitters, Sheet Metal Fabricators, Tube and Pipe Fabricators, Wood Workers, Drafts Persons, Inspectors, etc. All styles include a black easy-grip locking knob, adjustable clear plastic magnifying pointer, non-corrosive hardware, easy to read numbers, and composite brake material for locking arms in place. Arms rotate 270 degrees. These units come with a carrying case for protection, and hang holes for storage.



## 18" Dual Arm Equalizer™ Protractor

**Part #: EPDA-AL4x18/CC**

### Description:

- Anodized Aluminum Arms
- 4" diameter dial
- 1 degree graduations, with 1/2 degree possible
- Easy to read numbers
- Strong locking knob
- Composite brake material for locking arm in place
- Adjustable clear plastic magnifying pointer and non-corrosive hardware
- Hang hole and carrying case for storage included



## 36" Dual Arm Equalizer™ Protractor

**Part #: EPDA-AL4X36/CC**

### Description:


- Anodized Aluminum Arms
- 4" diameter dial
- 1 degree graduations, with 1/2 degree possible
- Easy to read numbers
- Strong locking knob
- Composite brake material for locking arm in place
- Adjustable clear plastic magnifying pointer and non-corrosive hardware
- Hang hole and carrying case for storage included





This unique rotating calculator identifies the number of weeks from a specified date. Just set the RED pointer of the inner circle to a given day of the month and count clockwise to how many weeks out you want to find the corresponding date. Can also be used to backtrack from a future date. They actually have expensive software to do what this simple tool does! Production, Shipping, and people in most Office positions will want some of these.


Whether you do scheduling, purchasing, forecasting, etc., the convenience of finding a date is right at your fingertips. Made of .030 white plastic, 4" X 4" (pocket sized) with bold red and blue graphics for easy reading. Pivot point is 3/16" diameter brass eyelet providing a strong and reliable fastener. Graphics are clear coated for extended life. Comes in a package of 5 units.



## Date Finder

**Part #: DF-W004CW/5PK**

- Unique design and bold, easily read graphics
- Easily calculate dates with a simple in-hand tool
- For scheduling, purchasing, forecasting, etc.
- Comes in packs of 5 units
- 4"x4" Pocket Sized, Clear coated for extended life



## Day Finder

**Part #: DF-W006CW**

- Unique design and bold, easily read graphics
- Easily calculate dates with a simple in-hand tool
- For scheduling, purchasing, forecasting, etc.
- Comes in packs of 5 units
- Clear coated for extended life

Date Finders


# Infant Measuring Tape

Infant Measuring Tapes are an idyllic souvenir for new parents celebrating birth. Information can be recorded on the tail end of this ruler to turn it into a permanent keepsake that can be cherished forever.


These measuring tapes are 3/4" wide and 37" long overall. Ruler reads up to 76cm on the top of the tape and 30" on the bottom, each left-to-right. They are made from a durable and flexible white plastic (polyethylene) which is soft to the touch and printed with permanent waterproof ink.

Oregon Rule Co. manufactures these tapes with 100% of its material made in the USA and is OSHA and RoHS certified.

## Infant Measuring Tapes (IMT)



The form section of the blue IMT contains the following fields: Name \_\_\_\_\_, Birth Date \_\_\_\_\_, Time \_\_\_\_\_, WT. \_\_\_\_\_, LG. \_\_\_\_\_, Chest \_\_\_\_\_, and Head \_\_\_\_\_.



The form section of the pink IMT contains the following fields: Name \_\_\_\_\_, Birth Date \_\_\_\_\_, Time \_\_\_\_\_, WT. \_\_\_\_\_, LG. \_\_\_\_\_, Chest \_\_\_\_\_, and Head \_\_\_\_\_.

Infant Tape

**Description:**

- 8 mil thick
- 25 pack - blue or pink
- Permanent waterproof ink
- Durable, flexible white plastic
- Soft to the touch


Part #	Color	Length	Width
IMT-BL030L-PL/25PK	Blue	37"	3/4"
IMT-PK030L-PL/25PK	Pink	37"	3/4"



These stainless steel rules are both incredibly durable and exceptionally accurate. Easy to read numbers and graduations, these rules are great for all your linear measurement needs.

Note: Pictures below are not scaled to size.

## 18mm Wide - Stainless Steel - Fractional/Metric 18F/CM




Left to Right			Right to Left		
Part #	Color	Length	Part #	Color	Length
18F/CM-SS030L-VG	Stainless Steel	12"/300mm	18F/CM-SS030R-VG	Stainless Steel	12"/300mm
18F/CM-SS050L-VG	Stainless Steel	19.68"/500mm	18F/CM-SS050R-VG	Stainless Steel	19.68"/500mm
18F/CM-SS100L-VG	Stainless Steel	39.37"/1000mm	18F/CM-SS100R-VG	Stainless Steel	39.37"/1000mm
18F/CM-SS200L-VG	Stainless Steel	78.74"/2000mm	18F/CM-SS200R-VG	Stainless Steel	78.74"/2000mm
18F/CM-SS300L-VG	Stainless Steel	118.11"/3000mm	18F/CM-SS300R-VG	Stainless Steel	118.11"/3000mm
18F/CM-SS400L-VG	Stainless Steel	157.48"/4000mm	18F/CM-SS400R-VG	Stainless Steel	157.48"/4000mm

**Description:**

- 1/16" graduations on top
- 1mm graduations on bottom

## 30mm Wide - Stainless Steel - Metric/Fractional 30M/F



Stainless Steel Rules

Left to Right			Right to Left		
Part #	Color	Length	Part #	Color	Length
30M/F-SS030L-VG	Stainless Steel	12"/300mm	30M/F-SS030R-VG	Stainless Steel	300mm/12"
30M/F-SS050L-VG	Stainless Steel	19.68"/500mm	30M/F-SS050R-VG	Stainless Steel	500mm/19.68"
30M/F-SS100L-VG	Stainless Steel	39.37"/1000mm	30M/F-SS100R-VG	Stainless Steel	1000mm/39.37"
30M/F-SS200L-VG	Stainless Steel	78.74"/2000mm	30M/F-SS200R-VG	Stainless Steel	2000mm/78.74"
30M/F-SS300L-VG	Stainless Steel	118.11"/3000mm	30M/F-SS300R-VG	Stainless Steel	3000mm/118.11"
30M/F-SS400L-VG	Stainless Steel	157.48"/4000mm	30M/F-SS400R-VG	Stainless Steel	4000mm/157.48"

**Description:**

- 1mm graduations on top
- 1/16" graduations on bottom

# Fishing Rules







Big Fish Adhesive Backed Rules are a set of two peel-and-stick rulers designed for measuring fish on-the-go. Stick these rulers on your boat, tackle box, oar, or dock.

They are made from durable polyester with a protective gloss top coat.

Each set comes with 1x20" rule and a 1 1/4x56" rule.

These Big Fish rulers read left to right in continuous inches, with 1/8" labeled graduations.

## 20" & 56" Big Fish Adhesive Backed 2-Ruler Set BFAR



Fishing


Left to Right		
Part #	Color	Length
BFAR-YW020L/CL056L-Set	Yellow	20" & 56"
BFAR-CL020L/CL056L-Set	Clear	20" & 56"



Doryman Shellfish Calipers can be set from 3 to 6 1/2 inches to measure lobsters and crabs to specific legal sizes. While they float, these calipers also employ an attached lanyard to avoid any dropping mistakes. When the caliper is fully extended it becomes a 9 inch straight edge rule. When collapsed it can easily fit into a pocket. An easy twist knob regulates the calipers size and can be used to lock in measurements.

## Doryman Shellfish Caliper DSC

Part #: DSC-3/6.5-GN



Floating Ruler - this product floats in water  
Reads 3-6.5"

- Measure the legal fishing sizes of lobsters and crabs
- Extends to a 9" long straight edge rule, collapses to fit in a large pocket
- Made of expanded PVC, which allows the tool to float
- Lanyard is provided to help eliminate accidental drops
- Easy twist knob lock measurement in place

Part #: DSC-3/6.5-YW



Fishing



**Fractional Adhesive-Backed Rulers**

Fractional Extra Narrow	FXN	1
3/8" Wide Fractional Narrow	3/8FN	1
1/8" Grads Fractional Narrow	1/8FN	1
Fractional Narrow	FN	2
Fractional Narrow Special	FNS	2
3/4" Wide Fractional Regular	3/4FR	3
1/8" Grads Fractional Regular	1/8FR	3
Fractional Regular	FR	4
Fractional Regular Special	FRS	4
1/8" Grads Easy Reader	1/8ER	5
Easy Reader	ER	5
Inch & Fractional Narrow	IFFN	6
3/4" Wide & Foot Fractional Regular	3/4IFFR	6
Inch & Foot Fractional Regular	IFFR	6
Tenth Narrow	TN	7
Tenth Regular	TR	7
Tenth Fractional Narrow	TFN	8
Tenth Fractional Regular	TFR	8
Horizontal Fractional Extra Wide	FXW	9
Vertical Fractional Extra Wide	FXW	9

**Metric Adhesive-Backed Rulers**

Centimeter Extra Narrow	CXN	10
3/8" Wide Centimeter Narrow	3/8CN	10
Centimeter Narrow	CN	10
3/4" Wide Centimeter Regular	3/4CR	11
Centimeter Regular	CR	11
Millimeter Narrow	MMN	11
Millimeter Regular	MMR	12
Centimeter Extra Wide	2CXW	12

**Fractional/Metric Adhesive-Backed Rulers**

Fractional/Metric Narrow	FMN	13
3/4" Wide Fractional/Metric Regular	3/4FMR	13
Fractional/Metric Regular	FMR	13
2" Wide Fractional/Metric Regular	2FMR	14
Tenth/Metric Narrow	TMN	14
Tenth/Metric Regular	TMR	14

**Half-Scale Adhesive-Backed Rulers**

Fractional Half-Scale Narrow	FHN	15
Fractional Half-Scale Regular	FHR	15



## Half-Scale Adhesive-Backed Rulers (Continued)

Fractional/Metric Half-Scale Narrow	FMHN	15
Fractional/Metric Half-Scale Regular	FMHR	16
Centimeter Half-Scale Narrow	CHN	16
Centimeter Half-Scale Regular	CHR	17

## Metal Adhesive-Backed Rulers

1/4" Wide Fractional Yellow Adhesive Metal Ruler	1/4FY	18
3/8" Wide Fractional Yellow Adhesive Metal Ruler	3/8FY	18
3/4" Wide Fractional Yellow Adhesive Metal Ruler	3/4FY	18
1/2" Wide Fractional White Adhesive Metal Ruler	1/2FW	19
1/4" Wide Metric Yellow Adhesive Metal Ruler	1/4MY	19
3/8" Wide Metric Yellow Adhesive Metal Ruler	3/8MY	19
1/2" Wide Centimeter Metric Yellow Adhesive Metal Ruler	1/2CMY	19
1/2" Wide Metric Yellow Adhesive Metal Ruler	1/2MY	20
3/4" Wide Metric Yellow Adhesive Metal Ruler	3/4MY	20
1/2" Wide Fractional/Metric White Adhesive Metal Ruler	1/2FMW	20

## Floor Tapes

2" Wide Fractional Floor Tape	2FFT	21
4" Wide Fractional Floor Tape	4FFT	21

## Height & Security Rulers

Fractional/Metric White 0 to 6'8"	SHR/FM-W1.5x80VU-TC	22
Fractional Black and White 3'9" to 7'	SHR/F-BKWH1.5x43/84VU-TC	22
Fractional Red and Blue 3'9" to 7'	SHR/F-RDBL1.5x43/84VU-TC	22
Kids Height Rule 0 to 80"	KHR-MC4x80VU-GTC	23
Fractional White 3'8" to 6'8"	SHR/F-W1.88x44/80VU-TC	23
Backdrop Wall Mount Banner	SHBRWM	24

## Adhesive Dials

Graduated Dials	GD	25
Ring Dials	GD	26

## Continuous Roll Tapes

1" x 12" White	FERT-W12Dx42R	27
3/4" x 1m White	MERT-W1.0Dx32R	27
3/4" x 36" Yellow	FERT-Y36Dx35R	27
1.5" x 12" Yellow	1 1/2FERT-YW012VUx105R	28

**Workbench Ruler**

Workbench Ruler	WBR	29
-----------------	-----	----

**Staff Gauges**

5" Wide Tenth of Foot Surveyor Style	5TFSS	30
5" Wide Tenths of Foot Engineer Style	5TFXW	30
5" Wide Inch and Foot Engineer Style	5IFXW	31
5" Wide Hundredths of Foot Surveyor Style	5HFSS	31
2.5" Wide Surveyor Tenth	SSGST	32
2.5" Wide Engineer Tenth	SSGET	32
2.5" Wide Surveyor Metric	SSGSM	32
2.5" Wide Engineers Metric	SSGEM	32
Staff Gauge Hardware	HPK-SS1/4X1 1/2	33
Custom Staff Gauge Graphics Form		33

**Calipers**

Mini-Rocket, White Vinyl	MR1000-WV/5PK	35
Pocket Rocket, Black Anodized	PR1000-BA	35
Pocket Rocket, White Styrene	PR1000-WS/3PL	35
Pocket Rocket, Clear Plastic	PR100-CL	36
X-Kaliper, Large Object Caliper	XLOC	36

**Protractors**

18" Dual Arm Equalizer™ Protractor	EPDA-AL4x18/CC	37
36" Dual Arm Equalizer™ Protractor	EPDA-AL4x36/CC	37

**Date Finders**

Date Finder	DF-W004CW/5PK	38
Day Finder	DF-W7.75CW	38

**Infant Measuring Tapes**

Babies Rule Blue	IMT-BL030L-PL/25PL	39
Babies Rule Pink	IMT-PK030L-PL/25PL	39


**Stainless Steel Rulers**

18mm Wide - Fractional/Metric	18F/CM	40
30mm Wide - Metric/Fractional	30F/CM	40

**Fishing Rulers**

Big Fish Adhesive Backed 2-Ruler Set	BFAR	41
Doryman Shellfish Calipers	DSC	42





P.O. BOX 1752, OREGON CITY, OR 97045  
PH: (503) 657-8330 • FAX 655-8040  
Web Site: [www.oregonrule.com](http://www.oregonrule.com)  
E-mail: [sales@oregonrule.com](mailto:sales@oregonrule.com)